

## **Specification Sheet**

Part Number: ET660



Electrical Tape, .75" x 66' Roll, 7.0 mil Thick, PVC, Black, 10 rolls/pkg

applications. Tape provides fast, easy and economical cable splicing,

terminating, wire insulating, and more. These comformable high quality tapes have exceptional surface and adhesive characteristics. Tape is applied by overlapping each layer 50% and using tension. After the tape is adhered, the memory of the tape returns, tightening the seal and making the taped area

Article Number	904-00008
Туре	ET66
Color	Black (BK)
Features & Benefits	<ul> <li>PVC Tape is ideal for general purpose electrical applications.</li> <li>Heavy duty tape is comfortable and has exceptional surface and adhesive characteristics.</li> <li>Fast, easy and economical way to cable splicing, terminating and wire insulating.</li> </ul>
Quantity Per	reel
Product Description	Electrical tapes are heavy duty vinyl and ideal for general purpose

even more waterproof.

Short Description	Electrical Tape, .75" x 66' Roll, 7.0 mil Thick, PVC, Black, 10 rolls/pkg
Global Part Name	ET66-PVC-BK
Minimum Tensile Strength (Imperial)	15.4
Length L (Imperial)	66.0
Length L (Metric)	20.12
Width W (Imperial)	0.75
Width W (Metric)	19.05
Thickness T (Imperial)	7.0
Material	Flexible Polyvinyl Chloride (PVC)
Material  Material Shortcut	Flexible Polyvinyl Chloride (PVC) PVC
Material Shortcut	PVC MIL-1-7798-A
Material Shortcut  US MIL SPEC	PVC MIL-1-7798-A Operating Temperature (Metric)
Material Shortcut  US MIL SPEC  +20°F to 176°F (-7°C to +80°C)	PVC MIL-1-7798-A Operating Temperature (Metric)

Package Quantity (Metric
--------------------------

10

Customs Number 3	8919905030
------------------	------------

 $\hbox{@}$  2018 HellermannTyton. All rights reserved.

Contact Us RoHS/WEEE Compliance Disclaimer Terms and Conditions